

Development of innovative lightweight and highly insulating energy efficient components and associated enabling materials for cost-effective retrofitting and new construction of curtain wall facades.



EENSULATE project presentation

May 2020

Daniela Reccardo
RINA Consulting

This project has received funding from European Union's Horizon H2020 research and innovation programme under grant agreement No. 723868.



Horizon 2020
European Union Funding
for Research & Innovation

EENSULATE PROJECT



Starting Date: 1st August 2016

End Date: 31st July 2020

Target: existing and new construction







EENSULATE Project CHALLENGE

- Thousands of buildings in Europe have been constructed in the recent decades using the **curtain walls** system and many of these buildings are now **thirty to fifty years old or even more**.
- **Curtain wall** technology has recently moved from office buildings to glazed residential towers within the **urban context**, where noise pollution is a significant and growing concern.
- Windows and glass facades are estimated to be responsible for up to **60% of energy losses through the envelope**.
- Replacement and retrofitting of curtain walls would allow a significant enhancement in thermal performance which results variously in **condensation, unwanted heat transfer, and general discomfort to occupants**.

Main Breakthrough



EENSULATE curtain wall modules where the thermal and acoustic insulation are provided by the novel EENSULATE glass based on VIG technology and EENSULATE foam (TCF) in the spandrel combined with SoA low-e coated glass, including thermo-chromic coated glass with additional self-cleaning and antifogging functionalities


EENSULATE Module allows to achieve thermal and mechanical performances according to technical and standard requirements as well as market drivers

Main Technologies



- Lightweight and thin double pane Vacuum Insulated Glass (VIG) with innovative sealant and getter technologies for transparent part of the façade module and windows applications
- Highly insulating foams based on mono component (OCF) and bi-component (TCF) elements

EENSULATE VIG



**Centre and overall U-value:
0.36 and 0.44 Wm⁻²K⁻¹, respectively**

- Vacuum Insulated Glass (VIG) realized by BGTEC with a tailored manufacturing process implementing the innovative sealant and getter strips to ensuring the target performances
- Small Scale VIG prototypes (500x500mm)
- Large scale VIG prototypes (1000x1000mm)



EENSULATE FOAM

- A highly insulating mono-component foam (OCF) for windows application and a two component foam (TCF) with high fire class for spandrel application developed by SELENA
- The innovative foams are nanocomposite polyurethane (PUR) / polyisocyanurate (PIR) foams with tailored cell morphology, size and structure in order to enhance the thermal properties through the precise control of the cells nucleation events which generate the foams



EENSULATE SEALANT



- Epoxy resin based sealant in strips for vacuum insulating glass
- Thermal curing allows low processing temperature ($< 200^{\circ}\text{C}$)
- Possibility of having the mono-component sealant resin in syringe dispensable in a range of $60\div 100^{\circ}\text{C}$
- Permeability - extremely high barrier performance for Ar, N₂, O₂
- Active filler for moisture absorption
- Storing in freezer, processing in air

EENSULATE GETTER



- Distributed getter realized with innovative Zr-based alloy ZAO^{®2} with extremely high N₂ capacity (0.1cc·torr/cm²)
- Laminated double-side getter strips 200μm thick and 8mm large
- Easy handling and positioning in air
- Getter activation process by RF heating under vacuum pumping



3 Demo Buildings





School

Building Type:
Tertiary Building

Location:
Dzierżoniow, Poland

Type of Intervention:
Façade System



Museum

Building Type: Old Building

Location:
Dzierżoniow, Poland

Type of intervention:
Windows



Public Library


Building Type: Tertiary Building

Location: Pesaro (Italy)

Type of Intervention: Door Window



Main Impacts



Development of a product that meets the market demand for affordable and prefabricated façade retrofitting system with limited weight and thickness

PARTNERS



CONTACT INFO



- For further project information please contact:



Daniela RECCARDO
Project Coordinator
RINA Consulting S.p.A.

daniela.reccardo@rina.org

www.eensulate.eu

- Follow project latest news on social network profiles:



Development of innovative lightweight and highly insulating energy efficient components and associated enabling materials for cost-effective retrofitting and new construction of curtain wall facades.



THANK YOU FOR ATTENTION!

Daniela Reccardo
RINA Consulting
daniela.reccardo@rina.org

This project has received funding from European Union's Horizon H2020 research and innovation programme under grant agreement No. 723868.

